

LA SERA MASK Surgical - FFP2 - FFP3 - N95 Face Mask

LA SERA MASK

About Us

Different names and brands in the TEXTILE sector for more Our company, which is the strongest producer of the region in production with the textile printing factory it established.

2020.

than 25 years operating with A.O.S.B. aimed to increase its the production of masks, has a daily production capacity of 5.000.000 pieces and has provided job opportunities for many contract companies.

Due to the CORONA virus spreading around the world, our Our company, which supplies products to many foreign factory has been operating in mask production as of January companies, especially Europe, has reached a record level in export figures.







CONTENT

- 1. Product Types
- 2. Product Features
- 3. Product User Manual
- 4. Our Production Sites
- 5. Certificates

THREE LAYER - WIRED MASK

Elastic mouth and face mask is made of 3 Layer White non-wowen non-woven fabric. It does not contain allergic substances. Does not feather. It provides easy breathing with its excellent air permeability. Round ring rubber with ultrasonic stitching, fits perfectly to the face.

What is a disposable rubber mask?

Elastic face masks are loose-fitting masks that cover the nose and mouth and have ear loops on the back of the head.


In which areas is the Disposable Face Mask used?

Ideal for doctors, dentists, dental aids, nurses, landscapers, contractors, plumbers, exterminators, nail technicians and more for every home in daily activities.









3 Fabrics & 3 Protection

Leak Proof Fabric


Dense Filter Layer

Direct Contact Skin Layer


TECHNCAL DRAWING SURGICAL MASK 3 LAYER w/EAR LOOP







WAYA	TEKNİK ÇİZİM TECHNCAL DRAWING CERRAHİ MASKE 3 KATLI LASTİKLİ SURĞICAL MASK 3 LAYER W/EAR LOOP			
Ürün Adı Product Name				
Doc. No	TD-Mask		Ölçü/Size	95x175 mm
Tarih/Date	01.04.2020		Rev. No	00
Hammadde Tanımı Raw Material		RM-01: Spounbond 30 g RM-02: Meltblown 25 g RM-03: Spounbond 20 g RM-04: Elastic RM-05: Wire		




www.laseramask.com





FFP2 MASK

FFP2 protection class respirators have been created for working environments where dangerous and mutagenic particles may be present in the air. Respirators of this class must retain at least 94% of the particles up to 0.6 µm and can be used in environments where the OEL violation reaches a maximum density of ten times. The same is true for the TRK value (technical reference density).














PROTECT WITH FFP2 AND FFP3


The types of masks to be used against corona virus have been announced by the World Health Organization. These mask types are referred to as N95 masks. N95 masks have different standards such as FFP1, FFP2 and FFP3.





02 Electrostatic meltblown Lsolate pm2.5 dust 04 Electrostatic meltblown Enhanced filtering pf dust









OUR FACTORY



Alya Baskı Teks.Kim. Boya İnş.Paz.İth.İhr.San.Tic.A.Ş.

ADDRESS

A.O.S.B. Mah. 10052 Sok. No:6/1 Çiğli - İZMİR

Phone: +90 232 574 74 80 Gsm: +90 535 622 23 02

Web: www.alyaspor.com Email: info@alyaspor.com